

# VERY IMPORTANT - MUST READ BEFORE APPLYING IN TIRES

**Please Note:** All tires are not included in this Tire Application Guide.

**For tires not listed in the Tire Application Guide, Please find the "Measurement Instructions" & Tire Illustration below. Measure tire height and overall casing width (NOT the tread width). Then proceed to the heading that applies to your tire. Use one of the formulas listed below the heading to calculate how many milliliters or ounces are required per tire.**

**Accurate measurements are obtained by using the total "Tire Height & Overall Tire Casing Measurements" NOT the tread measurement.**



**Tire Height**

**PREMIUM HEAVY DUTY TIRE SEALANT FORMULATED FOR TUBE & TUBELESS TIRES**

**Measuring Instructions:**

For tire sizes not found in this guide.

- Use Formula listed in proper section heading.



**Overall Tire Casing Width**

## TIRE APPLICATION GUIDE

- **DO NOT OVER APPLY PREMIUM HEAVY DUTY TIRE SEALANT TO HIGH SPEED TIRES. (Above 65kph/40mph.)**
- **BE SURE TO CHOOSE THE PROPER SECTION HEADING**

**Prevents & Seals Flat Tires  
Lasts The Life Of The Tire**

**Specifications subject to change without notice.**

### READ CAREFULLY BEFORE INSTALLATION

Must be allowed to thoroughly coat the inside of the tire & rim before complete tire protection is achieved. It is important to either drive or rotate the tire slowly several times after installation. Works with most low tire pressure indicator sensors. **NOT RECOMMENDED** for low tire pressure equalizer systems. **NOTE: LiquiTube** is water soluble & may become ineffective if installed in tires containing Water, Anti-Freeze, Calcium Chloride, other liquid ballast, or other sealants. • All high speed over the road tires should be balanced before applying Premium Heavy Duty Tire Sealant!

- Some high speed tires may experience a slight vibration at highway speeds.

## OVER THE ROAD TIRES - CARS, LIGHT TRUCKS & SUV's

This sealant should only be used as a temporary emergency fix for Light Duty High Speed Tires.

Vibration may occur at speeds over 64 km/h(40 m/h). This water soluble sealant may be easily cleaned out and the tire can still be plugged or patched.

**15 in. Rims or Smaller - 473 ml (16 oz) • Larger than 15 in. Rims - 710 ml (24 oz.)**

## MOTORCYCLES / DIRT BIKE TIRES

Metric Formula for tire sizes not found in this section...Tire Height x Full Tire Width (in inches) ÷ (divided by) 10 x (multiply by) 30 = milliliters per tire  
Imperial Formula for tire sizes not found in this section...Tire Height x Full Tire Width (in inches) ÷ (divided by) 10 = Ounces per tire

<b>4 in. Rims</b>		<b>ml</b>		<b>oz</b>		<b>12 in. Rims</b>		<b>ml</b>		<b>oz</b>		<b>15 in. Rims</b>		<b>ml</b>		<b>oz</b>		<b>17 in. Rims</b>		<b>ml</b>		<b>oz</b>		<b>18 in. Rims</b>		<b>ml</b>		<b>oz</b>		<b>19 in. Rims</b>		<b>ml</b>		<b>oz</b>		<b>20 in. Rims</b>		<b>ml</b>		<b>oz</b>		<b>21 in. Rims</b>		<b>ml</b>		<b>oz</b>		<b>22 in. Rims</b>		<b>ml</b>		<b>oz</b>																																																																																																																																																																																																																																																																																																																																																										
3.00-4	118	4	2.50-12	118	4	60 / 100-12	147	5	120 / 80-14	414	14	180 / 80-14	532	18	3.25-16	207	7	200 / 60-16	591	20	120 / 80-17	354	12	3.25-18	236	8	120 / 90-18	384	13	90 / 100-19	266	9	100 / 100-19	295	10	3.50-8	118	4	3.00-12	147	5	25 x 8.00-12	591	20	<b>15 in. Rims</b>	90 / 90-16	236	8	2.50-17	177	6	130 / 60-17	354	12	4.00-18	295	10	130 / 70-18	384	13	110 / 80-19	325	11	4.00-8	177	6	80 / 100-12	177	6	5.10-15	354	12	100 / 80-16	266	9	3.00-17	207	7	130 / 70-17	414	14	4.10-18	295	10	130 / 80-18	414	14	110 / 90-19	354	12	2.50-10	118	4	110 / 100-12	266	9	130 / 90-15	384	13	110 / 70-16	295	10	4.60-17	325	11	140 / 80-17	443	15	5.10-18	384	13	150 / 60-18	443	15	<b>20 in. Rims</b>	90 / 100-20	295	10	2.75-10	118	4	120 / 80-12	266	9	140 / 80-15	384	13	110 / 90-16	325	11	5.10-17	354	12	150 / 60-17	443	15	5.10-18	414	14	160 / 60-18	473	16	<b>21 in. Rims</b>	200 / 50-18	591	20	3.50-10	177	6	130 / 70-12	295	10	150 / 80-15	443	15	120 / 90-16	354	12	5.60-17	443	15	150 / 80-17	473	16	5.60-18	443	15	210 / 40-18	591	20	2.75-21	207	7	100 / 90-10	147	5	140 / 90-15	414	14	150 / 90-15	443	15	130 / 70-16	354	12	70 / 100-17	177	6	160 / 60-17	502	17	80 / 100-18	236	8	3.00-21	236	8	19 x 6.00-10	325	11	150 / 70-13	384	13	170 / 60-15	473	16	140 / 70-16	384	13	100 / 80-17	266	9	170 / 60-17	502	17	90 / 90-18	266	9	3.25-21	266	9	19 x 7.00-10	384	13	<b>14 in. Rims</b>	170 / 80-15	473	16	140 / 70-16	384	13	100 / 90-17	295	10	180 / 55-17	532	18	100 / 80-18	295	10	2.75-19	177	6	80 / 80-21	236	8	24 x 11.00-10	768	26	2.25-14	118	4	170 / 70-15	502	17	140 / 90-16	443	15	100 / 100-17	295	10	190 / 50-17	561	19	100 / 90-18	295	10	3.00-19	207	7	80 / 90-21	236	8	70 / 100-10	118	4	2.50-14	118	4	170 / 80-15	532	18	150 / 80-16	443	15	110 / 70-17	295	10	200 / 50-17	591	20	100 / 100-18	295	10	3.25-19	236	8	80 / 100-21	266	9	80 / 90-10	147	5	3.00-14	147	5	180 / 70-15	532	18	160 / 80-16	502	17	110 / 80-17	325	11	110 / 80-18	325	11	3.50-19	236	8	90 / 80-21	295	10	90 / 90-10	147	5	3.60-14	207	7	<b>16 in. Rims</b>	170 / 70-16	502	17	110 / 100-17	325	11	2.50-18	177	6	3.60-19	266	9	90 / 90-21	354	12	110 / 90-10	147	5	4.10-14	236	8	2.50-16	147	5	120 / 60-17	325	11	70 / 100-19	207	7	90 / 100-21	325	11	120 / 90-10	266	9	60 / 100-14	147	5	2.75-16	177	6	120 / 65-17	325	11	120 / 70-18	354	12	<b>23 in. Rims</b>	90 / 90-19	266	9	3.00-16	177	6	180 / 70-16	561	19	120 / 70-17	325	11	120 / 80-18	354	12	3.00-23	236	8

## ATV TIRES

Metric Formula for tire sizes not found in this section... Tire Height x Full Tire Width (in inches) ÷ (divided by) 10 x (multiply by) 30 = milliliters per tire  
 Imperial Formula for tire sizes not found in this section... Tire Height x Full Tire Width (in inches) ÷ (divided by) 10 = Ounces per tire

<b>6 in. Rims</b>		<b>9 in. Rims</b>																		
<b>ml</b>	<b>oz</b>	<b>ml</b>	<b>oz</b>	<b>ml</b>	<b>oz</b>	<b>ml</b>	<b>oz</b>	<b>ml</b>	<b>oz</b>	<b>ml</b>	<b>oz</b>	<b>ml</b>	<b>oz</b>	<b>ml</b>	<b>oz</b>	<b>ml</b>	<b>oz</b>	<b>ml</b>	<b>oz</b>	
145 / 70-6	236 8	18 x 10.50-9	561 19	22 x 8.00-9	532 18	21 x 12.50-10	798 27	25 x 12.50-10	916 31	<b>12 in. Rims</b>	<b>ml</b>	<b>oz</b>	27 x 9.00-12	<b>ml</b>	<b>oz</b>	27 x 12.00-14	<b>ml</b>	<b>oz</b>		
<b>7 in. Rims</b>		20 x 10.00-9	591 20	22 x 10.00-9	650 22	22 x 7.00-10	473 16	26 x 12.00-10	916 31	23 x 8.00-12	532 18		27 x 10.00-12	798 27		28 x 9.00-14	756 25			
16 x 8.00-7	384 13	20 x 11.00-9	650 22	22 x 11.00-9	709 24	22 x 8.00-10	532 18	27 x 12.00-10	946 32	23 x 10.00-12	680 23		27 x 11.00-12	887 30		28 x 10.00-14	840 28			
18 x 7.00-7	384 13	20 x 12.00-9	709 24	22 x 12.00-9	798 27	22 x 10.00-10	650 22	22 x 11.00-10	709 24	24 x 8.00-12	561 19		27 x 12.00-12	946 32		28 x 11.00-14	924 31			
<b>8 in. Rims</b>		21 x 7.00-9	443 15	22 x 12.50-9	828 28	22 x 11.00-10	709 24	<b>11 in. Rims</b>	<b>ml</b>	<b>oz</b>	24 x 9.00-12	650 22		28 x 8.00-12	650 22		28 x 12.00-14	1008 34		
16 x 6.00-8	295 10	21 x 8.00-9	502 17	24 x 11.00-9	798 27	22 x 12.00-10	798 27	22 x 7.00-11	443 15	24 x 10.00-12	720 24		28 x 9.00-12	739 25		30 x 9.00-14	810 27			
18 x 8.00-8	432 14	21 x 8.00-9	502 17	25 x 12.00-9	887 30	22 x 12.50-10	828 28	23 x 8.00-11	561 19	24 x 11.00-12	768 26		28 x 10.00-12	828 28		30 x 10.00-14	900 30			
18 x 9.00-8	473 16	20 x 11.00-8	650 22	25 x 12.50-9	916 31	23 x 7.00-10	473 16	23 x 9.00-11	621 21	24 x 11.50-12	828 28		28 x 11.00-12	916 31		30 x 11.00-14	990 33			
18 x 10.00-8	532 18	20 x 12.00-8	709 24	<b>10 in. Rims</b>		23 x 8.00-10	561 19	23.5 x 8.00-11	561 19	25 x 8.00-12	591 20		28 x 12.00-12	1005 34		30 x 12.00-14	1080 36			
18 x 10.50-8	561 19	21 x 9.00-8	561 19	18 x 11.00-10	591 20	23 x 10.00-10	680 23	24 x 8.00-11	561 19	25 x 9.00-12	675 23		30 x 10.00-12	900 30		32.5 x 10.00-14	975 33			
18 x 11.00-8	591 20	21 x 10.00-8	621 21	20 x 6.00-10	354 12	23 x 11.00-10	739 25	24 x 9.00-11	650 22	25 x 10.00-12	739 25		30 x 12.00-12	1080 36		<b>15.5 in. Rims</b>				
18 x 11.50-8	621 21	21 x 11.00-8	680 23	20 x 7.00-10	414 14	24 x 8.00-10	561 19	24 x 9.50-11	650 22	25 x 11.00-12	828 28					26 x 9.00-15	702 23			
18 x 19.50-8	1035 35	21 x 12.00-8	739 25	20 x 10.00-10	591 20	24 x 10.50-10	739 25	24 x 10.00-11	709 24	25 x 12.00-12	900 30		26 x 8.00-14	624 21		26 x 11.00-15	858 29			
19 x 7.00-8	384 13	21 x 12.50-8	798 27	20 x 11.00-10	650 22	24 x 11.00-10	798 27	25 x 8.00-11	591 20	25 x 12.50-12	916 31		26 x 9.00-14	702 23		27 x 9.00-15.5	739 25			
19 x 8.00-8	443 15	22 x 10.00-8	650 22	20 x 12.00-10	709 24	24 x 11.50-10	828 28	25 x 9.50-11	709 24	26 x 9.00-12	680 23		26 x 10.00-14	780 26		(LSW 238-394)				
19 x 9.50-8	532 18	22 x 11.00-8	709 24	21 x 7.00-10	443 15	24 x 12.00-10	857 29	25 x 10.00-11	739 25	26 x 10.00-12	768 26		26 x 11.00-14	858 29		27 x 10.00-15.5	798 27			
20 x 7.00-8	414 14	22 x 12.00-8	798 27	21 x 8.00-10	502 17	25 x 9.50-10	709 24	25 x 12.50-11	946 32	26 x 11.00-12	798 27		26 x 12.00-14	936 31		(LSW 255-394)				
20 x 9.00-8	532 18	22 x 12.50-8	828 28	21 x 9.00-10	561 19	25 x 10.00-10	739 25	26 x 12.00-11	857 29	26 x 12.00-12	916 31		27 x 9.00-14	729 24						
20 x 10.00-8	591 20	21 x 11.00-9	693 23	21 x 10.00-10	621 21	25 x 11.00-10	828 28			27 x 8.00-12	650 22		27 x 10.00-14	810 27						
22.5 x 10.00-8	680 23	21 x 12.50-9	798 27	21 x 11.00-10	680 23	25 x 12.00-10	887 30						27 x 11.00-14	891 30						

## SMALL TRAILERS & CAMPERS

Metric Formula for tire sizes not found in this section... Tire Height x Full Tire Width (in inches) ÷ (divided by) 10 x (multiply by) 30 = milliliters per tire  
 Imperial Formula for tire sizes not found in this section... Tire Height x Full Tire Width (in inches) ÷ (divided by) 10 = Ounces per tire

<b>8 in. Rims</b>				<b>13 in. Rims</b>				<b>15 in. Rims</b>				<b>16 in. Rims</b>				<b>17.5 in. Rims</b>			
<b>ml</b>	<b>oz</b>	<b>ml</b>	<b>oz</b>	<b>ml</b>	<b>oz</b>	<b>ml</b>	<b>oz</b>	<b>ml</b>	<b>oz</b>	<b>ml</b>	<b>oz</b>	<b>ml</b>	<b>oz</b>	<b>ml</b>	<b>oz</b>	<b>ml</b>	<b>oz</b>	<b>ml</b>	<b>oz</b>
4.80-8	295 10	7.00-10	473 16	6.00-13	443 15	7.75-14	443 15	G78-15	768 26	7.75-15	591 20	6.50-16	591 20	8.75-16.5	739 25				
5.70-8	295 10	7.50-10	473 16	6.50-13	443 15	7.90-14	473 16	H78-15	828 28	8.25-15	591 20	7.00-16	591 20	9.50-16.5	739 25				
16.60 x 6.50-8	325 11	20.50 x 8.00-10	473 16	7.00-13	443 15	8.25-14	591 20	L78-15	857 29	8.55-15	591 20	7.50-16	591 20	10.00-16.5	887 30				
18.50 x 8.50-8	473 16	205 / 50-10	443 15	<b>14 in. Rims</b>		8.55-14	591 20	6.70-15	680 23	9.00-15	591 20	8.00-16	591 20	12.00-16.5	1035 35				
18.50 x 9.50-8	532 18	<b>12 in. Rims</b>		E78-14	680 23	11-14	591 20	6.85-15	591 20	10.00-15	591 20	8.25-16	739 25	<b>17.5 in. Rims</b>					
<b>9 in. Rims</b>		4.80-12	295 10	G78-14	650 22	<b>14.5 in. Rims</b>		7.00-15	591 20	11.00-15	591 20	9.00-16	739 25	7.00-17.5	887 30				
6.90-9	414 14	5.30-12	354 12	6.45-14	443 15	7.00-14.5	591 20	7.10-15	591 20	12.00-15	591 20	10.00-16	739 25	8.00-17.5	887 30				
<b>10 in. Rims</b>		6.90-12	443 15	7.00-14	532 18	9.00-14.5	591 20	7.35-15	591 20	<b>16 in. Rims</b>		11.00-16	739 25	10.00-17.5	1035 35				
6.50-10	473 16	23.50 x 8.50-12	591 20	7.35-14	443 15			7.50-15	591 20	6.00-16	591 20	<b>16.5 in. Rims</b>							
												8.00-16.5	739 25						

## HEAVY DUTY TRUCKS, SEMIS, MOTOR COACHES & BUSES

Metric Formula for tire sizes not found in this section... Tire Height x Full Tire Width (in inches) ÷ (divided by) 10 x (multiply by) 30 = milliliters per tire  
 Imperial Formula for tire sizes not found in this section... Tire Height x Full Tire Width (in inches) ÷ (divided by) 10 = Ounces per tire

<b>14.5 in. Rims</b>				<b>18 in. Rims</b>				<b>22 in. Rims</b>				<b>24 in. Rims</b>				<b>25 in. Rims</b>			
<b>ml</b>	<b>oz</b>	<b>ml</b>	<b>oz</b>	<b>ml</b>	<b>oz</b>	<b>ml</b>	<b>oz</b>	<b>ml</b>	<b>oz</b>	<b>ml</b>	<b>oz</b>	<b>ml</b>	<b>oz</b>	<b>ml</b>	<b>oz</b>	<b>ml</b>	<b>oz</b>	<b>ml</b>	<b>oz</b>
MH 7.00-14.5	561 19	7.50-16	739 25	7.50-17.5	887 30	285 / 70-19.5	1182 40	8.00-20	1035 35	<b>22.5 in. Rims</b>	<b>ml</b>	<b>oz</b>	315 / 80-22.5	1596 54	<b>24 in. Rims</b>	<b>ml</b>	<b>oz</b>		
MH 8.00-14.5	650 22	8.25-16	887 30	8.00-17.5	887 30	305 / 70-19.5	1330 45	8.25-20	1035 35	445 / 50-22.5	2129 72		305 / 85-22.5	1567 53	10.00-24	1774 60			
MH 9.00-14.5	768 26	9.00-16	946 32	9.00-17.5	887 30	445 / 70-19.5	2336 79	9.00-20	1123 38	385 / 65-22.5	1922 65		8.00-22.5	857 29	11.00-24	1567 53			
<b>15 in. Rims</b>		10.00-16	1153 39	10.00-17.5	946 32	8.00-19.5	828 28	10.00-20	1301 44	425 / 65-22.5	2247 76		9.00-22.5	1035 35	12.00-24	1774 60			
7.50-15	739 25	<b>16.5 in. Rims</b>		11.00-17.5	1182 40	15.00-19.5	1774 60	11.00-20	1419 48	445 / 65-22.5	2395 81		10.00-22.5	1182 40	13.00-24	1922 65			
8.25-15	887 30	8.00-16.5	887 30	14.00-17.5	1419 48	16.50-19.5	2011 68	11.50-20	1449 49	255 / 70-22.5	1123 38		11.00-22.5	1330 45	14.00-24	2070 70			
9.00-15	946 32	8.75-16.5	887 30	<b>18 in. Rims</b>		18.00-19.5	2070 70	12.00-20	1596 54	275 / 70-22.5	1242 42		11.50-22.5	1330 45	ML14.00-24	2365 80			
10.00-15	1005 34	9.50-16.5	946 32	7.00-18	887 30	19.50-19.5	2513 85	13.00-20	1774 60	245 / 75-22.5	1064 36		12.00-22.5	1449 49	<b>24.5 in. Rims</b>	<b>ml</b>	<b>oz</b>		
11.00-15 1	271 43	10.00-16.5	115 39	8.25-18	1182 40	ML15-19.5	1774 60	14.00-20	2070 70	265 / 75-22.5	1212 41		12.50-22.5	1626 55	285 / 75-24.5	1419 48			
<b>16 in. Rims</b>		12.00-16.5	1301 44	10.00-18	1182 40	ML18-19.5	2218 75	16.00-20	2513 85	295 / 75-22.5	1389 47		12.75-22.5	1478 50	275 / 80-24.5	1360 46			
225 / 75-16	798 27	<b>17 in. Rims</b>		<b>19.5 in. Rims</b>		20 in. Rims		16.00-20	2513 85	305 / 75-22.5	1478 50		13.00-22.5	1626 55	11.00-24.5	1389 47			
215 / 85-16	768 26	7.00-17	887 30	445 / 65-19.5	2247 76	335 / 80-20	1656 56	10.00-22	1389 47	235 / 80-22.5	1035 35		15.00-22.5	1892 64	12.00-24.5	1537 52			
7.00-16	591 20	<b>17.5 in. Rims</b>		225 / 70-19.5	857 29	365 / 80-20	1863 63	11.00-22	1478 50	255 / 80-22.5	1182 40		16.00-22.5	2070 70	13.50-24.5	1833 62			
ML 7.00-16	739 25	215 / 75-17.5	768 26	245															

# OFF ROAD TIRES - FARM, LANDSCAPING, FORESTRY, CONSTRUCTION

Metric Formula for tire sizes not found in this section...Tire Height x Full Tire Width (in inches) ÷ (divided by) 5 x (multiply by) 30 = milliliters per tire  
 Imperial Formula for tire sizes not found in this section...Tire Height x Full Tire Width (in inches) ÷ (divided by) 5 = Ounces per tire

	ml	oz		ml	oz		ml	oz		ml	oz		ml	oz		ml	oz		ml	oz		ml	oz		ml	oz	
<b>4 in. Rims</b>			6.00-8	660	22	22 x 11.00-9	1420	48	<b>11 in. Rims</b>			9.50-14	1780	60	32 x 12.00-15	2280	77	21.5L-16.1	6510	220							
2.50-4	180	6	11 x 4.00-8	300	10	22 x 12.00-9	1570	53	22 x 7-11	920	31	9.5L-14	1900	64	32 x 14.50-15	2760	93	35 x 19.00-16.1	3940	133							
2.80-4	240	8	16 x 5.00-8	480	16	24 x 13.00-9	1840	62	23 x 8-11	1100	37	11.00-14	1930	65	32 x 15.00-15	2840	96	38 x 20.00-16.1	4500	152							
4.10 x 3.50-4	120	4	16 x 5.50-8	540	18	25 x 11.00-9	1630	55	23.5 x 8-11	1130	38	11L-14	2190	74	33 x 12.50-15	2460	83	42 x 16.53-16.1	4120	139							
4.10-4	240	8	16 x 6.50-8	630	21	25 x 12.00-9	1780	60	24 x 8-11	1130	38	13.00-14	2370	80	33 x 21.50-15	4200	142	45 x 18.42-16.1	4910	166							
9 x 3.50-4	240	8	16 x 7.50-8	710	24	25 x 13.00-9	1930	65	24 x 9-11	1280	43	23 x 8.50-14	1160	39	35 x 12.50-15	2610	88	45 x 21.5L-16.1	5740	194							
11 x 4.00-4	270	9	16.50 x 6.50-8	630	21	<b>10 in. Rims</b>			24 x 10-11	1420	48	25 x 8.50-14	1280	43	35 x 15.00-15	3110	105	<b>16.5 in. Rims</b>									
<b>5 in. Rims</b>			18 x 6.00-8	660	22	3.00-10	480	16	25 x 8-11	1190	40	70-14	1070	36	36 x 11.00-15	2340	79	10-16.5	2310	78							
3.40-5	240	8	18 x 6.50-8	690	23	3.50-10	540	18	<b>12 in. Rims</b>			78-14	1070	36	36 x 13.50-15	2870	97	12-16.5	2550	86							
4.10-5	360	12	18 x 6.60-8	710	24	4.50-10	600	20	3.00-12	540	18	70-14	1070	36	38 x 16.00-15	3610	122	30.50 x 12.50-16.5	2250	76							
4.10 / 3.50-5	300	10	18 x 7.00-8	740	25	6.50-10	1040	35	3.50-12	600	20	4.00-15	770	26	250-15	1960	66	31 x 11.50-16.5	2100	71							
10 x 4.50-5	270	9	18 x 7.50-8	800	27	7.00-10	1040	35	4.00-12	660	22	5.00-15	890	30	300-15	2730	92	33 x 12.50-16.5	2460	83							
10.50 x 5.00-5	330	11	18 x 8.50-8	920	31	7.50-10	1130	38	4.50-12	660	22	5.50-15	950	32	<b>16 in. Rims</b>			33 x 14.50-16.5	2840	96							
11 x 3.50-5	240	8	18 x 9.00-8	950	32	9.00-10	1310	44	4.80-12	710	24	5.70-15	1010	34	4.00-16	950	32	35 x 14.50-16.5	2990	101							
11 x 4.00-5	270	9	18 x 9.50-8	1010	34	15L-10	1780	60	5.00-12	710	24	5.90-15	1070	36	4.50-16	950	32	36.50 x 12.50-16.5	2700	91							
11 x 4.50-5	300	10	18 x 10.00-8	1070	36	18 x 8.50-10	920	31	5.30-12	770	26	6.00-15	1130	38	5.00-16	1070	36	<b>16.7 in. Rims</b>									
11 x 6.00-5	390	13	18 x 11.00-8	1190	40	18 x 9.50-10	1010	34	5.70-12	830	28	6.40-15	1190	40	5.50-16	1100	37	14L-16.7	3550	120							
11 x 7.00-5	450	15	18.50-8	710	24	18 x 9.80-10	1040	35	6.00-12	830	28	6.70-15	1250	42	6.00-16	1250	42	<b>17 in. Rims</b>									
11 x 7.50-5	510	17	18.50 x 8.50-8	920	31	18 x 10.00-10	1070	36	6.90-12	950	32	11L-15	2366	80	6.50-16	1370	46	7.00-17	1250	42							
13 x 5.00-5	390	13	19 x 8.00-8	890	30	18 x 10.50-10	1130	38	7.00-12	1070	36	12.2L-15	2370	80	7.00-16	1420	48	7.50-17	1370	46							
<b>6 in. Rims</b>			19 x 9.00-8	1010	34	18 x 11.00-10	1190	40	7.50-12	1130	38	12.5L-15	2370	80	7.20-16	1480	50	8.25-17	1420	48							
4.00-6	360	12	19 x 9.50-8	1070	36	20 x 7.50-10	890	30	8.30-12	1190	40	13.50-15	2670	90	7.50-16	1660	56	<b>17.5 in. Rims</b>									
4.10-6	360	12	20 x 7.00-8	830	28	20 x 8.00-10	950	32	10.00-12	1310	44	14.50L-15	2960	100	8.00-16	1780	60	7.00-17.5	1250	42							
4.10 / 3.50-6	360	12	20 x 8.00-8	950	32	20 x 10.00-10	1190	40	20 x 6.00-12	710	24	18.25-15	3550	120	8.25-16	1840	62	8.00-17.5	1370	46							
5.30-6	600	20	20 x 9.00-8	1070	36	20 x 11.00-10	1310	44	22 x 7.50-12	980	33	25 x 7.50-15	1130	38	8.30-16	1900	64	10.00-17.5	1480	50							
6.90 / 6.00-6	740	25	20 x 10.00-8	1190	40	20 x 12.00-10	1420	48	22 x 8.00-12	1040	35	25 x 9.00-15	1340	45	9.00-16	2080	70	14.00-17.5	2080	70							
8.00-6	660	22	20 x 11.00-8	1310	44	20 x 14.00-10	1660	56	23 x 7.50-12	1040	35	25 x 10.50-15	1570	53	9.50-16	2190	74	36 x 16.00-17.5	3410	115							
12 x 6.00-6	420	14	20.50 x 7.00-8	860	29	20.50-10	1040	35	23 x 8.00-12	1100	37	25 x 12.50-15	1870	63	10.00-16	2310	78	225 / 75-17.5	1660	56							
12 x 8.00-6	570	19	20.50 x 10.00-8	1220	41	20.50 x 7.00-10	860	29	23 x 8.50-12	1160	39	27 x 7.50-15	1220	41	11.00-16	2670	90	235 / 75-17.5	1750	59							
12 x 11.00-6	770	26	21 x 11.00-8	1370	46	20.50 x 8.00-10	980	33	23 x 9.00-12	1220	41	27 x 8.50-15	1370	46	11L-16	2670	90	<b>18 in. Rims</b>									
13 x 5.00-6	390	13	21 x 12.00-8	1480	50	21 x 7.00-10	860	29	23 x 9.50-12	1310	44	27 x 9.50-15	1510	51	11.20-16	2670	90	4.00-18	770	26							
13 x 6.00-6	480	16	22 x 9.00-8	1190	40	21 x 8.00-10	1010	34	23 x 10.00-12	1370	46	27 x 10.50-15	1690	57	11.50-16	2840	96	6.00-18	830	28							
13 x 6.50-6	510	17	22 x 10.00-8	1310	44	21 x 9.00-10	1130	38	23 x 10.50-12	1420	48	28 x 9.00-15	1480	50	12.40-16	2900	98	7.00-18	1370	46							
14 x 4.50-6	390	13	22 x 11.00-8	1420	48	21 x 12.50-10	1570	53	23.5 x 11.00-12	1540	52	28 x 12.00-15	1990	67	12.50-16	2900	98	7.50-18	1774	60							
14 x 5.00-6	420	14	22 x 12.00-8	1570	53	22 x 7.00-10	920	31	24 x 9.00-12	1280	43	28 x 13.00-15	2160	73	12.5L-16	2900	98	10.00-18	1900	64							
14 x 6.00-6	510	17	22.50 x 10.00-8	1220	41	22 x 8.00-10	1040	35	24 x 12.00-12	1720	58	29 x 8.00-15	1370	46	13.60-16	3020	102	10.50-18	1960	66							
14 x 8.00-6	660	22	23 x 10.00-8	1370	46	22 x 9.00-10	1190	40	24 x 13.00-12	1840	62	29 x 9.50-15	1630	55	18.40-16	5330	180	10.50 / 80-18	2160	73							
15 x 5.00-6	450	15	25 x 13.00-8	1930	65	22 x 10.00-10	1310	44	25 x 8.00-12	1190	40	29 x 10.00-15	1720	58	33 x 9.50-16	1870	62	11.00-18	2020	68							
15 x 6.00-6	540	18	<b>9 in. Rims</b>			22 x 11.00-10	1420	48	25 x 10.00-12	1480	50	29 x 10.50-15	1810	61	215 / 85-16	1570	53	12.50-18	2080	70							
16.00 x 4.50-6	420	14	4.00-9	540	18	23 x 7.00-10	950	32	26 x 12.00-12	1840	62	29 x 12.00-15	2080	70	225 / 75-16	1570	53	12.50 / 80-18	2810	95							
16 x 6.00-6	620	21	4.80 / 4-9	540	18	23 x 8.00-10	2000	37	26.50 x 14.00-12	2190	74	29 x 12.50-15	2160	73	225 / 85-16	1660	56	13.0-18	2130	72							
145 / 70-6	480	16	6.00-9	710	24	23 x 9.00-10	1220	41	27 x 10.00 -12	1600	54	29 x 14.00-15	2400	81	235 / 85-16	1780	60	<b>19 in. Rims</b>									
<b>7 in. Rims</b>			6.90-9	770	26	23 x 10.00-10	1370	46	145 / 80-12	740	25	29 x 15.50-15	2670	90	245 / 75-16	1780	60	4.00-19	830	28							
4.50-7	480	16	18 x 9.00-9	950	32	24 x 11.00-10	1570	53	155 / 80-12	800	27	29 x 18.50-15	3170	107	255 / 85-16	2020	68	6.00-19	950	32							
4.80-7	480	16	18 x 11.00-9	1160	39	25 x 8.00-10	1190	40	<b>14 in. Rims</b>			30 x 8.00-15	1420	48	265 / 75-16	2020	68	<b>19.5 in. Rims</b>									
<b>8 in. Rims</b>			20 x 7.00-9	830	28	25 x 11.00-10	1630	55	4.00-14	740	25	30 x 9.50-15	1690	57	<b>16.1 in. Rims</b>			7.00-19.5	2370	80							
ALL GOLF CART	600	20	20 x 11.00-9	1310	44	25 x 12.00-10	1780	60	6.00-14	1070	36	31 x 10.50-15	1870	63	13.50-16.1	3790	128	8.00-19.5	2490	84							
4.00-8	480	16	21 x 8.00-9	1010	34	27 x 9.00-10	1450	49	7.00-14	1190	40	31 x 11.50-15	2100	71	14L-16.1	3850	130	9.00-19.5	2550	86							
4.30-8	510	17	21 x 9.00-9	1130	38	27 x 15.00-10	2400	81	7.50-14	1340	45	31 x 12.50-15	2310	78	14.50 / 75-16.1	3260	110	9									

19.50-19.5	ml	oz	15.00-22.5	ml	oz	480 / 65-24	ml	oz	54 x 31.00-26	ml	oz	9.50-32	ml	oz	13.90-36	ml	oz	320 / 90-46	ml	oz
40 x 19.00-19.5	4500	152	15.50-22.5	3200	108	540 / 65-24	6358	215	66 x 43.00-26	16770	567	12.40-32	4340	148	14.90-36	6510	220	340 / 85-46	5560	188
245 / 70-19.5	1930	65	16.00-22.5	3260	110	<b>24.5 in. Rims</b>			67 x 34.00-26	13490	456	16.90-32	7100	240	16.90-36	7400	250	380 / 90-46	6600	223
265 / 70-19.5	2160	73	16.50-22.5	3320	112	11.00-24.5	3850	130	620 / 75-26	9260	313	24.50-32	11240	380	18.00-36	7990	270	420 / 80-46	7250	245
285 / 70-19.5	2400	81	18.00-22.5	3730	126	11.20-24.5	3850	130	<b>28 in. Rims</b>			30.00-32	13900	470	<b>38 in. Rims</b>			480 / 80-46	8730	295
305 / 70-19.5	2640	89	245 / 75-22.5	2160	73	12.00-24.5	4150	140	11.00-28	3490	118	30.50-32	14200	480	11.20-38	4440	150	520 / 85-46	10000	338
<b>20 in. Rims</b>			255 / 70-22.5	2220	75	13.50-24.5	4260	144	11.20-28	3490	118	30.5L-32	14200	480	12.40-38	4860	164	620 / 70-46	11830	400
7.00-20	2190	74	255 / 80-22.5	2340	79	<b>25 in. Rims</b>			11.25-28	3550	120	33.50-32	15380	520	12.50-38	5030	170	<b>48 in. Rims</b>		
7.50-20	2250	76	265 / 75-22.5	2400	81	7.50-25	2670	90	11.90-28	3790	128	35.50-32	17810	602	13.60-38	5510	186	230 / 95-48	3550	120
8.00-20	2310	78	275 / 70-22.5	2460	83	11.00-25	3850	130	12.40-28	4090	138	68 x 50.00-32	20110	680	14.90-38	6220	210	<b>49 in. Rims</b>		
8.25-20	2370	80	275 / 80-22.5	2610	88	12.00-25	4090	138	13.60-28	4620	156	73 x 44.00-32	18990	642	15.50-38	6270	212	18.00-49	10650	360
9.00-20	2610	88	295 / 75-22.5	2810	95	13.00-25	4320	146	14.90-28	5270	178	73 x 50.00-32	21590	730	16.90-38	7340	248	21.00-49	13020	440
9.50-20	2670	90	295 / 80-22.5	2900	98	14.00-25	4620	156	15.00-28	5330	180	650 / 75-32	10920	369	18.40-38	8400	284	24.00-49	17160	580
10.00-20	2730	92	315 / 80-22.5	3200	108	15.50-25	4880	165	16.90-28	5560	188	800 / 65-32	13930	471	20.80-38	9880	334	27.00-49	18100	612
10.30-20	2780	94	365 / 70-22.5	3700	125	16.00-25	5030	170	17.00-28	5620	190	900 / 60-32	14910	504	380 / 80-38	5571	186	<b>50 in. Rims</b>		
10.50-20	2900	98	385 / 65-22.5	3880	131	17.50-25	6360	215	18.40-28	7100	240	<b>33 in. Rims</b>			420 / 85-38	6544	218	250 / 95-50	4090	138
11.00-20	2960	100	425 / 65-22.5	4500	152	18.00-25	7690	260	21.00-28	8110	274	18.00-33	8680	294	520 / 70-38	8260	279	320 / 90-50	5540	187
11.20-20	2960	100	445 / 65-22.5	4800	162	20.50-25	7840	265	21L-28	8170	276	21.00-33	10950	370	520 / 85-38	8954	299	380 / 90-50	6950	235
11.50-20	3020	102	<b>23.5 in. Rims</b>			21.00-25	7990	270	380 / 70-28	4440	150	27.00-33	13610	460	540 / 65-38	9168	310	480 / 80-50	9170	310
12.00-20	3140	106	23.00-23.5	7097	240	22.00-25	8170	276	380 / 85-28	4860	164	30.00-33	14500	490	580 / 70-38	9680	327	<b>51 in. Rims</b>		
12.50-20	3260	110	<b>24 in. Rims</b>			22 / 65-25	6980	236	420 / 70-28	5120	173	33.50-33	17870	604	600 / 65-38	9820	332	24.00-51	18930	640
13.00-20	3790	128	7.00-24	2130	72	23 / 80-25	8400	284	440 / 65R-28	5619	190	35 / 65-33	16270	550	650 / 65-38	11040	373	27.00-51	19230	650
14.00-20	4320	146	7.20-24	2190	74	23 / 90-25	9020	305	440 / 80-28	5860	198	37.50-33	21530	728	710 / 70-38	13080	442	30.00-51	22070	746
16.00-20	4740	160	7.50-24	2250	76	23.50-25	9230	312	480 / 65R-28	6063	205	<b>34 in. Rims</b>			<b>39 in. Rims</b>			33.00-51	25260	854
18.00-20	5030	170	8.30-24	2310	78	24.00-25	10950	370	480 / 70-28	6240	211	11.20-34	4440	150	33.50-39	22190	750	36.00-51	33130	1120
24.00-20	6220	210	9.00-24	2370	80	25 / 55-25	7780	263	540 / 65-28	7160	242	12.40-34	5030	170	37.50-39	23070	780	37.00-51	35790	1210
38 x 14.00-20	3140	106	9.50-24	2550	86	25 / 65-25	8520	288	600 / 65-28	8400	284	14.90-34	5800	196	38.00-39	23220	785	37.50-51	37090	1254
38 x 18.00-20	4060	137	10.00-24	2670	90	26.50-25	11240	380	<b>29 in. Rims</b>			16.90-34	6930	234	40 / 65-39	21530	728	49 / 75-51	36080	1220
41 x 14.00-20	3410	115	11.00-24	3550	120	29.50-25	13220	447	21.00-29	8580	290	18.40-34	7400	250	60.50 / 75-39	23900	808	50 / 65-51	34310	1160
42 x 25.00-20	6220	210	11.20-24	3550	120	30 / 65-25	11360	384	24.00-29	9760	330	18.50-34	7690	260	41.25 / 70-39	23660	800	<b>52 in. Rims</b>		
44 x 18.00-20	4680	158	11.25-24	3970	134	33.25-25	13610	460	24.50-29	10060	340	20.80-34	9350	316	43.50-39	26030	880	37.50-52	32540	1100
44 x 41.00-20	10650	360	11.40-24	4150	140	54 x 37.00-25	11830	400	26.50-29	11711	396	23.10-34	10890	368	45 / 65-39	25970	878	<b>54 in. Rims</b>		
47 x 25.00-20	6950	235	11.50-24	4200	142	61 x 18.00-25	6510	220	29.50-29	13020	440	250 / 95-34	3140	106	<b>42 in. Rims</b>			320 / 90-54	5830	197
48 x 25.00-20	7100	240	12.00-24	4260	144	66 x 43.00-25	16800	568	30.00-29	13170	445	290 / 95-34	3850	130	9.50-42	5030	170	380 / 90-54	7233	241
48 x 26.50-20	7520	254	12.40-24	4380	148	66 x 44.00-25	17160	580	30 / 65-29	12070	408	320 / 85-34	4230	143	12.40-42	5150	174	<b>56.5 in. Rims</b>		
48 x 31.00-20	8820	298	13.00-24	4440	150	67 x 34.00-25	13490	456	875 / 65-29	15440	522	380 / 85-34	5390	182	18.40-42	8880	300	27.00-56.5	17750	600
50 x 20.00-20	5920	200	13.60-24	4560	154	385 / 95-25	4940	167	<b>30 in. Rims</b>			480 / 70-34	6920	234	18.90-42	9170	310	30.00-56.5	21300	720
<b>21 in. Rims</b>			14.00-24	5320	180	445 / 80-25	5620	190	4.00-30	890	30	520 / 70-34	7780	263	20.80-42	9760	330	<b>57 in. Rims</b>		
27.25-21	9450	319	14.90-24	5320	180	445 / 95-25	6190	209	6.00-30	1480	50	540 / 65R-34	8872	300	480 / 80-42	8260	279	37.00-57	33840	1144
<b>22 in. Rims</b>			15.00-24	5320	180	525 / 80-25	7280	246	7.20-30	1780	60	600 / 65-34	9260	313	520 / 85-42	9530	322	40.00-57	36740	1242
7.50-22	2080	70	16.00-24	5770	195	555 / 65-25	7070	239	9.50-30	2960	100	650 / 75-34	11240	380	580 / 70-42	10240	346	44.00-57	39100	1322
8.50-22	2370	80	16.50-24	5920	200	605 / 80-25	9110	308	14.90-30	5510	186	710 / 75-34	12870	435	620 / 70-42	11270	381	46 / 90-57	38040	1286
10.00-22	2780	94	16.90-24	6062	205	660 / 34-25	6720	227	16.90-30	6630	224	<b>35 in. Rims</b>			650 / 65-42	11660	394	49.50-57	41850	1415
11.00-22	2840	96	17.50L-24	6062	205	670 / 34-25	6870	232	17.00-30	6810	230	18.00-35	10060	340	710 / 70-42	13730	464	50 / 80-57	40520	1370
12.00-22	2960	100	18.00-24	6210	210	<b>26 in. Rims</b>			18.00-30	7100	240	21.00-35	10650	360	900 / 50-42	16630	562	52 / 80-57	43180	1460
<b>22.5 in. Rims</b>			18.30-24	6210	210	12.40-26	4440	150	18.40-30	7400	250	22.50-35	11830	400	<b>43 in. Rims</b>			53.50 / 85-57	46820	1583
8.00-22.5	2250	76	18.40-24	6510	220	13.60-26	4740	160	21.00-30	7990	270	24.00-35	13310	450	24.00-43	14790	500	55.50 / 80-57	47910	1620
9.00-22.5	2310	78	19.40-24	6750	228	14.90-26	5090	172	23.10-30	10240	346	29.50-35	14610	494	<b>45 in. Rims</b>			65 / 65-57	54420	1840
10.00-22.5	2780	94	19.50L-24	6810	230	16.90-26	6810	230	67 x 34.00-30	13490	456	33.25-35	17570	594	45 / 65-45	27570	932	<b>59.5 in. Rims</b>		
11.00-22.5	2840	96	21.00-24	7400	250	18.00-26	8290	280	380 / 85-30	5030	170	37.25-35	21480	726	65 / 45-45	39810	1346	33-59.5	25140	850
11.20 x 22.5	2960	100	21.00L-24	7690	260	18.40-26	8820	298	420 / 90-30	5980	202	<b>36 in. Rims</b>			<b>46 in. Rims</b>			36-59.5	29280	990
11.50-22.5	2960	100	48 x 20.00-24	5680	192	23.10-26	9170	310	480 / 70-30	6450	218	9.50-36	3320	112	13.60-46	6220	210	39-59.5	33720	1140
12.00-22.5	2960	100	320 / 75-24	3290	111	24.00-26	9710	328	540 / 65-30	7430	251	11.20-36	4150	140	14.90-46	6980	236	<b>63 in. Rims</b>		
12.50-22.5	3020	102	420 / 70-24	4740	160	28.00-26	10360	350	<b>32 in. Rims</b>			12.40-36	4740	160	18.40-46	9230	312	53 / 80-63	46730	1580
13.00-22.5	3080	104	440 / 65-24	6063	205	28L-26	10650	360	8.30-32	2900	98	13.60-36	5330	180	230 / 95-46	3470	117	59 / 80-63	56790	1920